

1/16




FIG. 1

2/16




FIG. 2

3/16




FIG. 3

4/16




FIG. 4

5/16




FIG. 5

6/16




FIG. 6

7/16




FIG. 7

8/16




FIG. 8

9/16




FIG. 9

10/16




FIG. 10

11/16




FIG. 11

12/16




FIG. 12



Configuration Tool
File Find View Help

Disks Counting
Connection Storage Area Network

Application ID

☒ Active Data ☐ Indices

☐ Logs ☐ Inactive Data

Disks

☐ 18 GB ☐ 36 GB ☒ 50 GB ☐ 73 GB ☐ 181 GB

Protection

☒ Raid-1 ☐ Raid-S ☐ Raid-0

Performance Zone

Min. TB Needed

Physical Partitions per Disk

Usable Space in TB

Workload Characterization

IO/sec 0% 100% %

Random Read Hits

Random Read Misses

Sequential Reads

Writes

Avg size

Rate/sec

IO/sec 0% 100% %

FE MB/sec

BE MB/sec

FE IOs/sec

FE MB/sec

BE MB/sec

FE IOs/sec

FE MB/sec

BE MB/sec

FE IOs/sec

FE MB/sec

BE MB/sec

Summary

Workload index	Application ID	Data type	Number of devices	FE IOs/sec	FE MB/sec	BE MB/sec	Remote IOs/sec
1		Active date		24880.4	944.3	503.44	
2		Active date		12345.2	172.15	251.72	

FIG. 13




FIG. 17



FIG. 18

FIG. 14




FIG. 15




FIG. 19

15/16




FIG. 16

FIG. 20